

CONTATOR CWA0

Modelo	Tipo de Terminal	Tensão de Comando	Altura	Largura	Profundidade	Peso bruto
MINICONTATOR AZ CWA0-04-00C03	Parafuso	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00C03S	Mola	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00C06	Parafuso	42V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00C07	Parafuso	48V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00C12	Parafuso	110V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00C13	Parafuso	125V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00D02	Parafuso	24V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D13	Parafuso	110V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D17	Parafuso	127V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D23	Parafuso	220V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D23S	Mola	220V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D24	Parafuso	230V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D24S	Mola	230V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D25S	Mola	240V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D33	Parafuso	380V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00D34	Parafuso	400V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00L03	Parafuso	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00R03	Parafuso	24V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00R13	Parafuso	125V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00C02	Parafuso	12V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-04-00V04	Parafuso	20V 50Hz/24V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V10	Parafuso	42V 50Hz/48V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V15	Parafuso	95V 50Hz/110V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V18	Parafuso	110V 50Hz/120V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V23	Parafuso	180V 50Hz/208V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V24	Parafuso	180-208V 50Hz/208-240V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V26	Parafuso	190V 50Hz/220V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V30	Parafuso	208V 50Hz/240V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V47	Parafuso	400-415V 50Hz/480V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-04-00V56	Parafuso	500V 50Hz/600V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00C03	Parafuso	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-13-00C03S	Mola	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-13-00C06	Parafuso	42V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-13-00C12	Parafuso	110V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-13-00C13	Parafuso	125V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-13-00D02	Parafuso	24V 50/60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D13	Parafuso	110V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D23	Parafuso	220V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D23S	Mola	220V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D24	Parafuso	230V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D24S	Mola	230V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D25	Parafuso	240V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D25S	Mola	240V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D27	Parafuso	255V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D33	Parafuso	380V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00D34	Parafuso	400V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00L03	Parafuso	24V DC(LC)	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00R03	Parafuso	24V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-13-00V04	Parafuso	20V 50 Hz/24V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V10	Parafuso	42V 50 Hz/48V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V15	Parafuso	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V18	Parafuso	110V 50 Hz/120V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V23	Parafuso	180V 50 Hz/208V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V24	Parafuso	180-208V 50 Hz/208-240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V26	Parafuso	190V 50 Hz/220V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V30	Parafuso	208V 50 Hz/240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V47	Parafuso	400-415V 50 Hz/480V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-13-00V56	Parafuso	500V 50Hz/600V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00C02	Parafuso	12V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C03	Parafuso	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C03S	Mola	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C06	Parafuso	42V DC	58 mm	45 mm	52 mm	0,229 Kg

CONTATOR CAWA0

Modelo		Tensão de Comando	Altura	Largura	Profundidade	Peso bruto
MINICONTATOR AZ CWA0-22-00C07	Parafuso	48V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C08	Parafuso	55V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C09	Parafuso	60V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C12	Parafuso	110V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C13	Parafuso	125V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C15	Parafuso	220V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C15S	Mola	220V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C16	Parafuso	230V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00C17	Parafuso	250V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00D02	Parafuso	24V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D06	Parafuso	42V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D07	Parafuso	48V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D13	Parafuso	110V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D15	Parafuso	120V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D17	Parafuso	127V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D23	Parafuso	220V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D23S	Mola	220V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D24	Parafuso	230V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D24S	Mola	230V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D25S	Mola	240V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D27	Parafuso	255V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D33	Parafuso	380V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D34	Parafuso	400V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00D36	Parafuso	440V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00L03	Parafuso	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00L03S	Mola	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00R02	Parafuso	12V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00R03	Parafuso	24V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00R12	Parafuso	110V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00R15	Parafuso	220V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-22-00V01	Parafuso	10V 50 Hz/12V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V04	Parafuso	20V 50 Hz/24V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V07	Parafuso	28V 50 Hz/32V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V10	Parafuso	42V 50 Hz/48V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V15	Parafuso	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V15S	Mola	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V18	Parafuso	110V 50 Hz/120V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V19	Parafuso	110-115V 50 Hz/127V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V23	Parafuso	180V 50 Hz/208V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V24	Parafuso	180-208V 50 Hz/208-240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V26	Parafuso	190V 50 Hz/220V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V26S	Mola	190V 50 Hz/220V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V30	Parafuso	208V 50 Hz/240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V41S	Mola	325V 50 Hz/380V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V42	Parafuso	380V 50 Hz/440V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V47	Parafuso	400-415V 50 Hz/480V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-22-00V56	Parafuso	500V 50Hz/600V 60Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00C02	Parafuso	12V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C03	Parafuso	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C03S	Mola	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C06	Parafuso	42V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C07	Parafuso	48V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C11	Parafuso	80V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C12	Parafuso	110V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C13	Parafuso	125V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00C15	Parafuso	220V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00D01	Parafuso	12V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D02	Parafuso	24V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D07	Parafuso	48V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D13	Parafuso	110V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D15	Parafuso	120V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg

CONTATOR CAWA0

Modelo		Tensão de Comando	Altura	Largura	Profundidade	Peso bruto
MINICONTATOR AZ CWA0-31-00D17	Parafuso	127V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D23	Parafuso	220V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D23S	Mola	220V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D24	Parafuso	230V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D24S	Mola	230V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D25	Parafuso	240V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D25S	Mola	240V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D27	Parafuso	255V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D33	Parafuso	380V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00D34	Parafuso	400V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00L03	Parafuso	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00L03S	Mola	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00R03	Parafuso	24 DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-31-00V04	Parafuso	20V 50 Hz/24V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V10	Parafuso	42V 50 Hz/48V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V15	Parafuso	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V15S	Mola	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V17	Parafuso	100V 50 Hz/115V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V18	Parafuso	110V 50 Hz/120V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V19	Parafuso	110-115V 50 Hz/127V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V23	Parafuso	180V 50 Hz/208V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V24	Parafuso	180-280V 50 Hz/208-240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V26	Parafuso	190V 50 Hz/220V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V30	Parafuso	208V 50 Hz/240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V42	Parafuso	380V 50 Hz/440V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V47	Parafuso	400-415V 50 Hz/480V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-31-00V56	Parafuso	500V 50 Hz/600V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00C02	Parafuso	12V DC	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00C03	Parafuso	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00C03S	Mola	24V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00C06	Parafuso	42V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00C07	Parafuso	48V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00C09	Parafuso	60V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00C12	Parafuso	110V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00C13	Parafuso	125V DC	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00D01	Parafuso	12V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D02	Parafuso	24V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D06	Parafuso	42V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D07	Parafuso	48V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D13	Parafuso	110V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D15	Parafuso	120V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D17	Parafuso	127V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D23	Parafuso	220V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D23S	Mola	220V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D24	Parafuso	230V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D24S	Mola	230V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D25	Parafuso	240V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D25S	Mola	240V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D28	Parafuso	265V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D33	Parafuso	380V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D34	Parafuso	400V 50/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00D36	Parafuso	440V 50 Hz/60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00L03	Parafuso	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00L03S	Mola	24V DC(LC)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00R03	Parafuso	24V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00R13	Parafuso	125V DC(0,75)	58 mm	45 mm	52 mm	0,229 Kg
MINICONTATOR AZ CWA0-40-00V04	Parafuso	20V 50 Hz/24V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00V10	Parafuso	42V 50 Hz/48V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00V15	Parafuso	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00V15S	Mola	95V 50 Hz/110V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWA0-40-00V18	Parafuso	110V 50 Hz/120V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg

CONTATOR CAWA0

Modelo		Tensão de Comando	Altura	Largura	Profundidade	Peso bruto
MINICONTATOR AZ CWCA0-40-00V19	Parafuso	110-115V 50 Hz/127V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V23	Parafuso	180V 50 Hz/208V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V24	Parafuso	180-208V 50 Hz/208-240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V26	Parafuso	190V 50 Hz/220V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V26S	Mola	190V 50 Hz/220V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V30	Parafuso	208V 50 Hz/240V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V47	Parafuso	400-415V 50 Hz/480V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg
MINICONTATOR AZ CWCA0-40-00V56	Parafuso	500V 50 Hz/600V 60 Hz	58 mm	45 mm	52 mm	0,194 Kg